



NOTES: (MINIMUM STRUCTURAL REQUIREMENTS)

1. 1 LAYER SL72 REINFORCING 40 TOP COVER FOR RESIDENTIAL DRIVEWAYS OR 1 LAYER SL82 REINFORCING 40 TOP COVER FOR COMMERCIAL / INDUSTRIAL DRIVEWAYS.
2. N25 CONCRETE.
3. CONCRETE JOINTING TO BE PROVIDED AS PER THE CEMENT AND CONCRETE ASSOCIATION OF AUSTRALIA "GUIDE TO RESIDENTIAL STREETS AND PATHS" PUBLICATION.
4. ALL DIMENSIONS ARE IN MILLIMETRES (mm) UNLESS OTHERWISE INDICATED.
5. ALL CONCRETE SURFACES TO HAVE A NON-SLIP BROOM FINISH.



ALICE SPRINGS TOWN COUNCIL
 CNR TODD STREET AND GREGORY TERRACE
 PHONE: (08) 89 500 500
 FAX: (08) 89 530 558

SUBDIVISION AND DEVELOPMENT GUIDELINES			
KERB CROSSOVERS			
REV C	DESCRIPTION DESIGN ISSUE	DATE 05.02.18	INITIALS ASTC

DRAWING NUMBER: ASTC - 105	AMENDMENT: C
DESIGNED: MP	SCALE: NOT TO SCALE
SURVEYED: N/A	DATE: FEB 2018
DRAWN: MR/TJK	